

Serial.No. : 10/710,442  
 Applicant : Harry T. Edwards  
 Page : 2

The listing of claims will replace all prior versions and listings of claims in the application:

### LISTING OF CLAIMS

Please amend claims 1, 11, 14, 22, and 34, and add claims 36-46.

1. (Currently amended) A baggage screening system, comprising:

a plurality of screening subsystems, each comprising an automated bag screen device and a feed conveyor for feeding bags to said screen device;

a supply conveyor ~~for adapted to selectively supplying bags to said screening subsystems;~~  
~~said supply conveyor supplying bags only to a screening subsystem that has no more than a particular number of unscreened bags that are at that screening subsystem;~~

a cleared bag conveyor and an uncleared bag conveyor, said uncleared bag conveyor adapted to deliver bags to a manual screening function; and

a sortation conveyor network downstream of said screening subsystem to selectively divert bags to said cleared bag conveyor or said uncleared bag conveyor;

wherein said sortation conveyor network comprises a buffer downstream of each said bag screen device and a pair of diverters associated with each said buffer, said buffer ~~buffering~~  
adapted to buffer bags for a secondary bag screening function, one of said diverters upstream of the associated said buffer being adapted to divert a bag to either said cleared bag conveyor or said buffer, another of said diverters downstream of the associated said buffer being adapted to divert a bag to either said cleared bag conveyor or said uncleared bag conveyor, wherein bags cleared by either said bag screen device or said secondary bag screening function can be diverted are delivered to said cleared bag conveyor, and wherein bags not cleared by said secondary bag screening function are delivered to said uncleared bag conveyor for delivery to said manual screening function.

Serial No. : 10/710,442  
 Applicant : Harry T. Edwards  
 Page : 3

2. (Original) The system of claim 1 wherein said supply conveyor includes a recirculation line for recirculating bags to an upstream portion of said supply conveyor that have not been supplied to a screening subsystem.

3. (Original) The system of claim 1 wherein bags are transported through said screen device at a first speed and said supply conveyor operates at a second speed that is greater than said first speed and wherein said feed conveyor includes a deceleration conveyor.

4. (Original) The system of claim 3 wherein said deceleration conveyor receives a bag at said second speed and decelerates said bag to said first speed.

5. (Previously presented) The system of claim 1 including an input diverter at each of said screening subsystems for selectively diverting a bag to that screening subsystem, said input diverter controlling orientation of a bag being diverted.

6. (Previously presented) The system of claim 5 wherein said input diverter is a powered-face diverter.

7. - 10. (Cancelled)

11. (Currently amended) The system of claim 1—A baggage screening system, comprising:  
a plurality of screening subsystems, each comprising an automated bag screen device and  
a feed conveyor for feeding bags to said screen device;  
a supply conveyor adapted to selectively supply bags to said screening subsystems, said  
supply conveyor supplying bags only to a screening subsystem that has no more than a particular  
number of unscreened bags that are at that screening subsystem;  
a cleared bag conveyor and an uncleared bag conveyor; and  
a sortation conveyor network downstream of said screening subsystem to selectively  
divert bags to said cleared bag conveyor or said uncleared bag conveyor;

Serial No. : 10/710,442  
 Applicant : Harry T. Edwards  
 Page : 4

wherein said sortation conveyor network comprises a buffer downstream of each said bag screen device and a pair of diverters associated with each said buffer, said buffer adapted to buffer bags for a secondary bag screening function, one of said diverters upstream of the associated said buffer being adapted to divert a bag to either said cleared bag conveyor or said buffer, another of said diverters downstream of the associated said buffer being adapted to divert a bag to either said cleared bag conveyor or said uncleared bag conveyor, wherein bags cleared by either said bag screen device or said secondary bag screening function are delivered to said cleared bag conveyor, and wherein said secondary bag screening function uses images of bags captured by said screen device and includes a display, said display adapted to display the bag images captured by said screen device.

12. (Original) The system of claim 1 wherein bags are not queued at said feed conveyor.

13. (Original) The system of claim 1 wherein bags travel substantially only at non-zero speeds through said supply conveyor and said feed conveyor.

14. (Currently amended) A screening module for a baggage screening system having an automated bag screen device, and a supply conveyor for adapted to selectively supplying bags to said screening module from a supply conveyor, said screening module comprising:

a feed conveyor for feeding bags to the screen device and a sortation conveyor network downstream of said screen device;

a cleared bag conveyor and an uncleared bag conveyor, said uncleared bag conveyor adapted to deliver bags to a manual screening function;

said feed conveyor comprising a deceleration conveyor for decreasing speeds of individual bags being supplied to said bag screen device; and

said sortation conveyor network sorting bags as a function of the screening of the bags wherein said sortation conveyor network selectively diverts bags to said cleared bag conveyor or said uncleared bag conveyor;

Serial No. : 10/710,442  
 Applicant : Harry T. Edwards  
 Page : 5

wherein said sortation conveyor network comprises a buffer downstream of the bag screen device and a pair of diverters associated with said buffer, said buffer ~~buffering~~ adapted to buffer bags for a secondary bag screening function, one of said diverters upstream of the associated said buffer being adapted to divert a bag to either said cleared bag conveyor or said buffer, another of said diverters downstream of the associated said buffer being adapted to divert a bag to either said cleared bag conveyor or said uncleared bag conveyor, wherein bags cleared by either the bag screen device or said secondary bag screening function ~~can be diverted~~ are delivered to said cleared bag conveyor, and wherein bags not cleared by said secondary bag screening function are delivered to said unclear bag conveyor for delivery to said manual screening function.

15. 17. (Cancelled)

18. (Previously presented) The module of claim 14 wherein said secondary bag screening function uses images of bags captured by said screen device.

19. (Original) The module of claim 14 wherein bags are not queued at said feed conveyor.

20. (Original) The module of claim 14 wherein bags travel substantially only at non-zero speeds through said feed conveyor.

21. (Original) The module of claim 14 wherein said screen device is mounted substantially above floor level.

22. (Currently amended) A method of screening bags, comprising:

providing a plurality of automated bag screen devices and a conveyor system;  
 supplying bags individually to said screen devices with said conveyor system;  
 providing a cleared bag conveyor and an unclear bag conveyor;  
delivering bags on said unclear bag conveyor to a manual screening function;

Serial No. : 10/710,442  
 Applicant : Harry T. Edwards  
 Page : 6

providing a sortation conveyor network downstream of said screen devices to selectively divert bags to said cleared bag conveyor or said uncleared bag conveyor;

wherein said sortation conveyor network comprises a buffer downstream of each said screen device and a pair of diverters associated with each said buffer;

buffering bags for a secondary bag screening function with said buffer;

diverting a bag to either said cleared bag conveyor or said buffer with one of said diverters upstream of the associated said buffer; and

diverting a bag to either said cleared bag conveyor or said uncleared bag conveyor with another of said diverters downstream of the associated said buffer;

wherein bags cleared by either said bag screen device or said secondary bag screening function can be diverted to said cleared bag conveyor, and wherein bags not cleared by said secondary bag screening function are delivered to said uncleared bag conveyor for delivery to said manual screening area.

23. (Original) The method of claim 22 including supplying bags only to screening devices that have at least partially screened each of the bags that have been supplied to that screening device.

24. (Original) The method of claim 22 wherein said conveyor system includes feed conveyors, each for feeding bags to one of said screen devices and a supply conveyor for supplying bags to said feed conveyors .

25. (Original) The method of claim 24 including recirculating bags to an upstream portion of said supply conveyor that have not been supplied to a feed conveyor.

26. (Original) The method of claim 24 including transporting bags through said screen device at a first speed and at said supply conveyor at a second speed that is greater than said first speed, including providing a deceleration conveyor at said feed conveyor.

Serial No. : 10/710,442  
Applicant : Harry T. Edwards  
Page : 7

27. (Original) The method of claim 26 including receiving a bag with said deceleration conveyor at said second speed and decelerating said bag to said first speed.

28. (Currently amended) The method of claim 24 including providing an input diverter for each of said screen devices and selectively diverting a bag to a screen device with the corresponding input diverter including controlling orientation of a bag being diverted.

29. (Original) The method of claim 28 wherein said diverter is a powered-face diverter.

30. – 33. (Cancelled)

34. (Currently amended) ~~The method of claim 22~~ A method of screening bags, comprising:  
providing a plurality of automated bag screen devices and a conveyor system;  
supplying bags individually to said screen devices with said conveyor system;  
providing a cleared bag conveyor and an uncleared bag conveyor;  
providing a sortation conveyor network downstream of said screen devices to selectively divert bags to said cleared bag conveyor or said uncleared bag conveyor;  
wherein said sortation conveyor network comprises a buffer downstream of each said screen device and a pair of diverters associated with each said buffer;  
buffering bags for a secondary bag screening function with said buffer, wherein said secondary bag screening function uses images of bags captured by said screen device;  
diverting a bag to either said cleared bag conveyor or said buffer with one of said diverters upstream of the associated said buffer; and  
diverting a bag to either said cleared bag conveyor or said uncleared bag conveyor with another of said diverters downstream of the associated said buffer;  
wherein bags cleared by either said bag screen device or said secondary bag screening function are delivered to said cleared bag conveyor.

35. (Original) The method of claim 24 including not queuing bags at said feed conveyor.

Serial No. : 10/710,442  
Applicant : Harry T. Edwards  
Page : 8

36. (New) The system of claim 1 wherein said supply conveyor supplies bags only to a screening subsystem that has no more than a particular number of unscreened bags that are at that screening subsystem.

37. (New) The system of claim 11 wherein said supply conveyor includes a recirculation line for recirculating bags to an upstream portion of said supply conveyor that have not been supplied to a screening subsystem.

38. (New) The system of claim 11 wherein bags are transported through said screen device at a first speed and said supply conveyor operates at a second speed that is greater than said first speed and wherein said feed conveyor includes a deceleration conveyor.

39. (New) The system of claim 38 wherein said deceleration conveyor receives a bag at said second speed and decelerates said bag to said first speed.

40. (New) The system of claim 11 including an input diverter at each of said screening subsystems for selectively diverting a bag to that screening subsystem, said input diverter controlling orientation of a bag being diverted.

41. (New) The system of claim 40 wherein said input diverter is a powered-face diverter.

42. (New) The method of claim 34 including supplying bags only to screening devices that have at least partially screened each of the bags that have been supplied to that screening device.

43. (New) The method of claim 34 wherein said conveyor system includes feed conveyors, each for feeding bags to one of said screen devices and a supply conveyor for supplying bags to said feed conveyors.

Serial No. : 10/710,442  
Applicant : Harry T. Edwards  
Page : 9

44. (New) The method of claim 43 including recirculating bags to an upstream portion of said supply conveyor that have not been supplied to a feed conveyor.

45. (New) The method of claim 43 including transporting bags through said screen device at a first speed and at said supply conveyor at a second speed that is greater than said first speed, including providing a deceleration conveyor at said feed conveyor.

46. (New) The method of claim 45 including receiving a bag with said deceleration conveyor at said second speed and decelerating said bag to said first speed.